

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
GL-20-035		2	167.00	184.60	17.60	1.41	333	-48	5528083	547830	413	201
	<i>including</i>		177.10	183.63	6.53	2.33						
	<i>including</i>		182.60	183.63	1.03	8.16						
GL-20-036		3	89.00	90.00	1.00	1.22	332	-52	5528129	547898	413	126
GL-20-037		6	43.00	44.00	1.00	6.74	330	-52	5528166	547925	413.5	177
GL-20-037		3	82.00	92.00	10.00	2.23						
	<i>including</i>		86.00	92.00	6.00	2.99						
	<i>including</i>		87.50	88.80	1.30	6.86						
	<i>and including</i>		91.00	92.00	1.00	6.83						
GL-20-037		3	110.00	114.00	4.00	4.19						
	<i>including</i>		110.00	111.00	1.00	15.90						
GL-20-037		2	132.60	147.00	14.40	0.76						
	<i>including</i>		140.00	142.00	2.00	2.10						
GL-20-037		2	170.50	172.00	1.50	12.20						
GL-20-038		3	11.64	18.00	6.36	0.92	332	-48	5528167	547840	414	125
	<i>including</i>		17.44	18.00	0.56	5.91						
GL-20-038		3	48.95	58.23	9.28	0.82						
	<i>including</i>		48.95	50.36	1.41	3.23						
GL-20-038		2	67.00	83.00	16.00	1.42						
	<i>including</i>		77.00	78.00	1.00	11.90						
GL-20-038		2	102.00	104.00	2.00	1.03						
GL-20-039		3	86.09	88.00	1.91	0.76	338	-48	5528147	547910	413	177
GL-20-039		2	130.33	132.00	1.67	2.57						
	<i>including</i>		130.33	131.00	0.67	4.86						
GL-20-039		2	143.00	155.00	12.00	1.19						
	<i>including</i>		147.00	147.00	1.00	5.10						
GL-20-039		2	172.77	177.00	4.23	0.50						
GL-20-040		6	55.00	56.00	1.00	1.07	334	-47	5528178	547942	414.5	180
GL-20-040		3	73.00	75.55	2.55	0.92						
GL-20-040		2	119.50	140.00	20.50	0.42						
	<i>including</i>		137.90	139.00	1.10	1.55						
GL-20-040		2	168.00	169.00	1.00	3.78						
GL-20-041		6	36.90	39.50	2.60	4.39	337	-47	5528095	547844	413	201
	<i>including</i>		37.70	38.50	0.80	9.49						
GL-20-041		2	173.00	180.60	7.60	2.40						
	<i>including</i>		179.00	179.95	0.95	5.32						
GL-20-042		6	11.00	14.00	3.00	6.19	335	-48	5528230	547984	414	175
	<i>including</i>		12.00	13.00	1.00	13.80						
GL-20-042		3	69.00	71.51	2.51	5.00						
	<i>including</i>		70.00	71.00	1.00	10.60						
GL-20-042		2	126.00	141.00	15.00	0.44						

Notes

Reported intervals are drilled core lengths and do not indicate true widths
All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
GL-20-043		3	16.00	23.62	7.62	1.06	333	-45	5528172	547858	414	126
	<i>including</i>		22.11	23.62	1.51	4.08						
GL-20-043		2	74.00	89.00	15.00	7.15						
	<i>including</i>		74.00	75.00	1.00	5.59						
	<i>including</i>		87.00	88.00	1.00	5.03						
	<i>and including</i>		88.00	89.00	1.00	83.70						
GL-20-044		6	18.85	20.00	1.15	2.65	338	-53	5528078	547803	413	210
GL-20-044		3	80.00	81.00	1.00	1.05						
GL-20-044		3	97.00	104.39	7.39	0.38						
GL-20-044		3	121.00	122.00	1.00	1.19						
GL-20-044		2	172.00	178.00	6.00	0.76						
	<i>including</i>	2	174.00	175.00	1.00	2.03						
GL-20-045		3	104.60	107.85	3.25	6.58	359	-46	5528100	547857	412	141
	<i>including</i>		106.75	107.85	1.10	14.50						
GL-20-046		3	1.30	39.00	37.70	1.18	158	-48	5528174	547790	416	165
	<i>including</i>		14.00	15.00	1.00	12.70						
			35.07	35.95	0.88	26.50						
GL-20-046		3	68.34	73.00	4.66	0.45						
GL-20-046		6	135.00	148.00	13.00	0.51						
GL-20-047		3	15.00	17.69	2.69	0.62	157	-47	5528249	547890	409	165
	<i>including</i>		16.27	17.00	0.73	1.86						
GL-20-047		6	140.00	150.00	10.00	0.53						
	<i>including</i>		140.00	141.00	1.00	4.43						
GL-20-048		3	24.00	30.00	6.00	0.49	152	-48	5528264	547909	408	177
GL-20-048		3	52.00	55.18	3.18	4.50						
	<i>including</i>		54.20	55.18	0.98	11.30						
GL-20-048		6	85.00	96.00	11.00	0.33						
	<i>including</i>		95.00	96.00	1.00	1.90						
GL-20-048		6	145.69	149.00	3.31	0.44						
GL-20-049		2	3.00	6.00	3.00	3.29	154	-45	5528243	547869	410	198
	<i>including</i>		3.00	4.00	1.00	9.06						
GL-20-049		3	56.00	65.50	9.50	5.15						
	<i>including</i>		56.00	57.00	1.00	19.90						
	<i>and including</i>		64.90	65.50	0.60	33.90						
GL-20-049		6	162.00	172.00	10.00	0.52						
	<i>including</i>		171.00	172.00	1.00	3.44						
GL-20-050		3	23.00	26.00	3.00	0.64	324	-46	5528271	547967	410	126
GL-20-050		2	75.00	103.00	28.00	0.67						
	<i>including</i>		85.00	87.00	2.00	4.10						
	<i>and including</i>		100.00	101.00	1.00	4.83						

Notes

Reported intervals are drilled core lengths and do not indicate true widths
All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
GL-20-051		2	2.32	10.00	7.68	1.72	334	-45	5528298	547946	408	87
	<i>including</i>		8.00	10.00	2.00	6.22						
GL-20-051		2	18.00	30.00	12.00	0.61						
	<i>including</i>		29.00	30.00	1.00	3.85						
GL-20-051		2	46.00	56.00	10.00	1.21						
	<i>including</i>		49.00	50.00	1.00	6.87						
GL-20-051		2	67.00	73.00	6.00	0.65						
GL-21-001		2	20.00	32.00	12.00	1.00	150	-46	5528367	547942	405	261
GL-21-001		2	39.00	48.00	9.00	0.78						
GL-21-001		3	140.60	141.30	0.70	1.64						
GL-21-001		6	170.75	173.25	2.50	1.46						
GL-21-002		2	55.00	85.00	30.00	0.67	155	-47	5528321	547886	404	165
	<i>including</i>		55.00	57.00	2.00	2.80						
	<i>and including</i>		69.00	79.00	10.00	1.19						
GL-21-002		3	151.00	153.00	2.00	1.40						
GL-21-003		2	26.40	44.00	17.60	0.45	336	-47	5528337	547980	405	66
GL-21-003		2	37.00	44.00	7.00	0.72						
GL-21-003		2	55.06	58.50	3.44	2.57						
GL-21-004		3	40.00	41.00	1.00	2.23	145	-45	5528317	547973	406	150
GL-21-004		6	73.25	74.85	1.60	0.87						
GL-21-005		3	15.90	36.00	20.10	1.34	333	-50	5528302	548003	408	123
	<i>including</i>		15.90	23.00	7.10	3.09						
	<i>including</i>		15.90	16.90	1.00	16.70						
	<i>and including</i>		30.70	36.00	5.30	0.80						
GL-21-005		2	106.10	123.00	16.90	0.48						
	<i>including</i>		106.10	109.40	3.30	1.46						
GL-21-006		3	42.50	44.50	2.00	0.78	335	-45	5528311	548038	407	180
GL-21-007		3	12.00	17.00	5.00	0.66	158	-50	5528140	547701	419	201
	<i>including</i>		16.00	17.00	1.00	2.65						
GL-21-007		6	145.20	146.20	1.00	1.08						
GL-21-007		6	172.20	173.20	1.00	1.08						
GL-21-008		3	15.00	17.00	2.00	0.58	330	-60	5528078	547678	425	150
GL-21-008		2	77.50	82.70	5.20	0.39						
GL-21-008		2	100.70	105.20	4.50	0.79						
GL-21-009		2	96.40	98.40	2.00	0.88	325	-60	5528050	547625	428	150
GL-21-009		2	108.00	108.70	0.70	1.65						
GL-21-010		3	15.10	24.30	9.20	0.62	160	-60	5528155	547754	419	216
	<i>including</i>		23.30	24.30	1.00	1.90						
GL-21-010		3	79.30	88.30	9.00	0.63						
	<i>including</i>		79.30	80.30	1.00	3.66						
GL-21-011		2	130.10	135.00	4.90	0.66	330	-60	5528339	548079	407	192

Notes

Reported intervals are drilled core lengths and do not indicate true widths
All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
GL-21-012		2	110.00	112.00	2.00	0.61	328	-45	5528364	548118	405	162
GL-21-012		2	142.20	143.20	1.00	1.04						
GL-21-013		2	33.00	41.00	8.00	0.52	151	-45	5528407	547975	404	201
	<i>including</i>		39.00	40.00	1.00	2.54						
GL-21-013		2	88.10	101.10	13.00	1.23						
	<i>including</i>		96.10	97.10	1.00	3.98						
GL-21-013		3	180.30	181.30	1.00	3.12						
GL-21-014		3	45.15	46.20	1.05	0.51	330	-45	5528410	548188	406	150
GL-21-015		3	65.00	70.00	5.00	1.55	330	-45	5528462	548252	406	150
	<i>including</i>		69.00	70.00	1.00	6.51						
GL-21-015		2	87.10	88.10	1.00	9.45						
GL-21-016		3	50.10	55.10	5.00	0.64	330	-45	5528490	548325	407	162
	<i>including</i>		54.10	55.10	1.00	1.94						
GL-21-017		6	38.90	49.00	10.10	0.40	330	-45	5528518	548405	407	180
GL-21-017		3	74.00	75.75	1.75	1.20						
GL-21-017		2	140.00	141.00	1.00	1.69						
GL-21-018		3	108.00	109.00	1.00	1.05	332	-45	5528560	548475	407	177
GL-21-019		3	91.45	95.00	3.55	0.46	330	-47	5528600	548550	407	201
GL-21-019		2	180.00	181.00	1.00	1.02						
GL-21-020		4	49.00	52.76	3.76	4.49	157	-44	5527630	546915	416	210
	<i>including</i>		49.00	50.00	1.00	16.00						
GL-21-020		4	82.00	91.00	9.00	1.62						
	<i>including</i>		85.00	86.00	1.00	8.16						
GL-21-020		4	108.61	118.00	9.39	1.08						
GL-21-021		4	19.00	45.80	26.80	0.75	161	-44	5527636	546956	417	186
	<i>including</i>		19.00	22.20	3.20	4.12						
GL-21-021		4	87.10	107.10	20.00	0.95						
	<i>including</i>		98.10	103.10	5.00	2.11						
	<i>including</i>		102.10	103.10	1.00	7.09						
GL-21-022		4	8.00	87.70	79.70	0.34	145	-44	5527647	546996	421	186
	<i>including</i>		8.00	14.00	6.00	0.78						
	<i>and including</i>		31.50	44.10	12.60	0.74						
	<i>and including</i>		76.00	84.70	8.70	0.62						
GL-21-023		4	10.00	16.28	6.28	0.48	150	-44	5527658	547030	423	171
GL-21-023		4	61.50	93.29	31.79	0.38						
GL-21-024		8	32.00	40.00	8.00	1.35	330	-44	5527533	546978	407	132
	<i>including</i>		35.00	36.00	1.00	5.92						
GL-21-024		4	74.20	76.20	2.00	2.30						
	<i>including</i>		75.20	76.20	1.00	4.15						
GL-21-024		4	92.00	94.90	2.90	1.13						
	<i>including</i>		94.30	94.90	0.60	4.64						

Notes

Reported intervals are drilled core lengths and do not indicate true widths

All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
GL-21-025		4	62.50	78.70	16.20	0.81	324	-45	5527540	547015	407	222
	<i>including</i>		62.50	64.50	2.00	2.70						
	<i>and including</i>		76.20	76.70	0.50	5.62						
GL-21-025		4	101.90	106.71	4.81	1.57						
	<i>including</i>		105.71	106.71	1.00	4.06						
GL-21-025		4	119.00	125.60	6.60	0.44						
GL-21-025		6	173.00	190.00	17.00	0.70						
	<i>including</i>		176.80	184.00	7.20	1.24						
GL-21-026		4	80.60	85.50	4.90	0.64	335	-44	5527600	547169	405	132
GL-21-027		4	44.10	49.60	5.50	1.33	323	-43	5527636	547195	412	117
	<i>including</i>		44.10	45.25	1.15	3.22						
GL-21-027		4	66.75	69.85	3.10	1.29						
	<i>including</i>		66.75	67.95	1.20	2.79						
GL-21-028		4	8.00	66.00	58.00	0.89	158	-58	5527654	547014	422	141
	<i>including</i>		8.00	26.50	18.50	2.01						
	<i>including</i>		10.00	11.00	1.00	22.40						
	<i>including</i>		22.00	23.50	1.50	5.06						
GL-21-028		4	96.50	118.00	21.50	3.14						
	<i>including</i>		98.60	99.60	1.00	55.70						
GL-21-029		4	31.00	36.00	5.00	2.95	152	-65	5527668	547048	427	177
	<i>including</i>		31.00	32.00	1.00	8.78						
	<i>and including</i>		35.00	36.00	1.00	5.70						
GL-21-029		4	87.10	92.10	5.00	0.62						
GL-21-029		4	109.40	124.10	14.70	0.46						
GL-21-030		4	61.80	65.00	3.20	0.55	155	-45	5527697	547060	425	201
GL-21-030		4	77.70	79.70	2.00	1.40						
GL-21-030		4	93.20	134.00	40.80	0.46						
	<i>including</i>		93.20	94.20	1.00	3.59						
	<i>and including</i>		114.60	119.60	5.00	1.06						
	<i>and including</i>		130.00	134.00	4.00	0.95						
GL-21-031		4	29.00	34.00	5.00	1.45	125	-60	5527681	547078	427	156
	<i>including</i>		31.00	32.00	1.00	6.33						
GL-21-031		4	47.25	55.00	7.75	6.36						
	<i>including</i>		49.10	50.00	0.90	51.70						
GL-21-031		4	97.00	107.75	10.75	0.84						
	<i>including</i>		97.00	98.00	1.00	5.82						
GL-21-031		4	127.61	128.75	1.14	2.80						
GL-21-031		4	142.95	144.00	1.05	2.77						
GL-21-032		8	38.50	41.10	2.60	0.49	155	-46	5527684	547109	424	156
GL-21-032		4	65.53	77.00	11.47	0.93						
	<i>including</i>		76.22	77.00	0.78	5.19						

Notes

Reported intervals are drilled core lengths and do not indicate true widths

All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth	
GL-21-033		4	93.30	96.30	3.00	2.37	158	-56	5527698	547153	421	177	
	<i>including</i>		95.30	96.30	1.00	6.19							
GL-21-033		4	125.00	126.00	1.00	4.98							
GL-21-034		4	77.05	93.15	16.10	0.99	155	-45	5527714	547184	420	147	
			89.50	90.30	0.80	10.00							
GL-21-035		4	46.75	86.80	40.05	0.89	155	-45	5527729	547213	420	150	
	<i>including</i>		46.75	47.85	1.10	6.28							
	<i>and including</i>		72.45	73.40	0.95	13.10							
	<i>and including</i>		79.39	80.18	0.79	10.00							
GL-21-036		4	83.80	87.53	3.73	1.61	149	-44	5527760	547272	420	135	
	<i>including</i>		83.80	84.75	0.95	3.73							
GL-21-037		4	68.20	71.20	3.00	0.60	148	-50	5527778	547308	417	162	
GL-21-037		4	96.50	100.40	3.90	2.73							
	<i>including</i>		96.50	97.50	1.00	4.55							
	<i>and including</i>		98.50	99.40	0.90	5.81							
GL-21-038		4	61.10	62.00	0.90	2.82	153	-50	5527791	547346	417	192	
GL-21-038		4	87.88	93.33	5.45	0.74							
GL-21-039		4	63.20	72.10	8.90	1.16	340	-45	5527705	547405	413	126	
	<i>including</i>		69.90	72.10	2.20	4.15							
GL-21-040		No Significant Results						333	-45	5527695	547361	412	126
GL-21-041		8	40.30	45.51	5.21	0.82	337	-45	5527684	547327	414	117	
GL-21-042		4	52.60	54.60	2.00	4.86	334	-55	5527660	547272	414	141	
	<i>including</i>		53.60	54.60	1.00	9.36							
GL-21-042		4	70.80	80.80	10.00	0.66							
	<i>including</i>		79.80	80.80	1.00	2.87							
GL-21-042		4	115.70	122.70	7.00	1.69							
	<i>including</i>		115.70	116.70	1.00	6.39							
GL-21-043		4	27.00	42.30	15.30	0.37	333	-45	5527645	547235	414	117	
			31.60	32.60	1.00	2.07							
GL-21-044		4	36.00	68.00	32.00	0.76	145	-45	5527845	547505	427	237	
	<i>including</i>		42.30	43.40	1.10	3.81							
	<i>and including</i>		46.70	47.80	1.10	5.48							
	<i>and including</i>		67.00	68.00	1.00	6.28							
GL-21-044		1	147.00	160.00	13.00	0.58							
	<i>including</i>		151.00	152.00	1.00	2.62							
GL-21-045		4	54.30	67.50	13.20	0.30	160	-45	5527875	547560	430	240	
GL-21-045		8	137.60	148.60	11.00	1.02							
	<i>including</i>		147.60	148.60	1.00	4.90							
GL-21-046		4	29.00	31.00	2.00	4.26	150	-47	5527823	547462	423	276	
	<i>including</i>		29.00	30.00	1.00	7.01							
GL-21-046		4	47.00	52.80	5.80	3.53							

Notes

Reported intervals are drilled core lengths and do not indicate true widths
All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
	<i>including</i>		50.00	51.40	1.40	9.57						
	<i>and including</i>		52.00	52.80	0.80	3.41						
GL-21-046		1	148.00	169.00	21.00	0.31						
	<i>including</i>		165.90	166.60	0.70	2.10						
GL-21-047		4	50.10	71.50	21.40	0.83	143	-50	5527804	547419	421	150
	<i>including</i>		65.40	67.90	2.50	2.55						
GL-21-048		4	128.00	129.00	1.00	21.50	150	-45	5527605	546800	413	261
GL-21-048		8	161.90	167.80	5.90	2.45						
	<i>including</i>		161.90	164.00	2.10	6.30						
GL-21-049		6	39.00	43.00	4.00	1.91	125	-45	5527610	546810	415	274.5
	<i>including</i>		40.00	41.00	1.00	3.92						
GL-21-049		4	72.40	80.00	7.60	0.34						
GL-21-049		4	108.80	118.00	9.20	0.52						
GL-21-049		4	126.40	138.20	11.80	1.12						
	<i>including</i>		128.20	129.00	0.80	6.39						
	<i>and including</i>		135.70	136.40	0.70	2.85						
GL-21-049		4	159.00	176.30	17.30	0.89						
	<i>including</i>		165.00	166.00	1.00	7.06						
GL-21-050		6	6.00	6.70	0.70	27.70	130	-46	5527559	546704	420	276
GL-21-050		4	68.00	94.00	26.00	2.94						
	<i>including</i>		72.00	73.00	1.00	63.50						
	<i>and including</i>		93.00	94.00	1.00	8.08						
GL-21-051		6	14.00	22.00	8.00	1.27	145	-45	5527530	546575	409	195
	<i>including</i>		14.00	15.00	1.00	2.14						
	<i>and including</i>		21.00	22.00	1.00	7.90						
GL-21-051		4	109.69	121.95	12.26	0.41						
	<i>including</i>		117.88	118.27	0.39	8.33						
GL-21-058		1	103.60	129.50	25.90	5.48	155	-47	5527340	546580	402	180
	<i>including</i>		104.60	105.60	1.00	76.80						
	<i>and including</i>		109.60	111.50	1.90	14.95						
	<i>and including</i>		116.50	117.50	1.00	5.26						
	<i>and including</i>		123.50	128.50	5.00	2.95						
GL-21-059		1	6.00	39.70	33.70	1.67	155	-45	5527325	546660	403	111
	<i>including</i>		35.30	36.40	1.10	12.10						
GL-21-059		1	64.00	70.00	6.00	0.93						
GL-21-060		1	119.00	120.00	1.00	2.26	355	-68	5527195	546535	404	177
GL-21-060		1	131.10	134.00	2.90	3.08						
	<i>including</i>		131.10	132.00	0.90	5.89						
GL-21-061		1	133.00	147.00	14.00	2.83	330	-64	5527248	546765	404	162
	<i>including</i>		133.00	137.00	4.00	6.35						
	<i>including</i>		133.00	134.00	1.00	12.30						

Notes

Reported intervals are drilled core lengths and do not indicate true widths

All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
	<i>and including</i>		135.00	136.00	1.00	6.14						
	<i>and including</i>		139.00	140.00	1.00	5.58						
	<i>and including</i>		145.00	146.00	1.00	4.77						
GL-21-062		8	8.00	15.50	7.50	1.01	330	-45	5527380	546710	407	201
	<i>including</i>		9.70	10.50	0.80	2.77						
GL-21-062		4	129.00	132.00	3.00	0.54						
GL-21-063		8	20.10	32.00	11.90	0.31	137	-45	5527522	546437	403	375
	<i>including</i>		20.10	21.10	1.00	1.77						
GL-21-063		4	185.30	187.40	2.10	1.37						
GL-21-064		5	47.40	61.00	13.60	0.51	130	-50	5527534	547275	409	153
	<i>including</i>		59.00	61.00	2.00	1.99						
GL-21-065		5	38.50	58.80	20.30	1.10	130	-50	5527515	547240	408.5	150
	<i>including</i>		55.00	58.80	3.80	4.50						
	<i>including</i>		56.00	56.90	0.90	13.90						
	<i>and including</i>		57.80	58.80	1.00	3.32						
GL-21-066		5	53.50	58.50	5.00	6.79	135	-50	5527502	547210	408	150
	<i>including</i>		53.50	54.50	1.00	5.45						
	<i>and including</i>		54.50	55.50	1.00	21.00						
	<i>and including</i>		57.50	58.50	1.00	4.20						
GL-21-067		5	43.00	77.00	34.00	0.41	125	-50	5527570	547340	410	201
	<i>including</i>		73.00	74.00	1.00	3.21						
GL-21-067		5	92.00	99.80	7.80	0.83						
	<i>including</i>		95.00	96.00	1.00	1.66						
GL-21-070		3	202.80	206.00	3.20	1.68	150	-45	5528097	547415	410	330
	<i>including</i>		204.00	204.60	0.60	4.80						
GL-21-070		6	297.00	298.00	1.00	11.10						
GL-21-076		No Significant Results					320	-50	5527430	546168	394	252

Notes

Reported intervals are drilled core lengths and do not indicate true widths
All grades uncut, no capping.