

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
TL21-529B		HW	460.00	465.00	5.00	1.06	346	-74	5511597	528353	389	750
TL21-529B		Main	640.55	646.00	5.45	0.89						
TL21-529B		C	706.84	709.30	2.46	0.81						
TL21-530		HW	99.00	100.07	1.07	6.78	355	-77	5511905	528475	393	522
TL21-530		HW	105.00	111.00	6.00	0.64						
TL21-530		HW	120.00	121.00	1.00	3.33						
TL21-530		Main	346.34	348.34	2.00	0.90						
TL21-530		C	462.00	470.00	8.00	0.39						
TL21-530		C	506.95	511.00	4.05	0.87						
TL21-531B		HW	184.00	188.40	4.40	2.25	345	-76	5511790	528341	390	582
	<i>including</i>		186.00	187.00	1.00	8.60						
TL21-531B		HW	200.00	211.00	11.00	0.47						
TL21-531B		HW	243.00	245.00	2.00	1.42						
TL21-531B		Main	443.00	445.00	2.00	0.80						
TL21-531B		C	558.60	560.80	2.20	0.61						
TL21-532		HW	543.00	551.60	8.60	0.29	345	-77	5511563	528295	389	846
TL21-532		HW	568.00	570.85	2.85	2.57						
	<i>including</i>		569.00	570.00	1.00	5.82						
TL21-532		C	828.00	834.00	6.00	1.27						
	<i>including</i>		828.00	829.00	1.00	4.53						
	<i>and including</i>		833.00	834.00	1.00	2.26						
TL21-533B		HW	528.75	538.15	9.40	0.96	352	-76	5511563	528295	389	810
	<i>including</i>		530.65	532.50	1.85	2.57						
TL21-533B		HW	563.00	567.00	4.00	2.47						
	<i>including</i>		563.00	564.00	1.00	8.49						
TL21-533B		Main	768.00	770.00	2.00	0.99						
TL21-534		Main	244.00	252.00	8.00	2.10	358	-68	5511910	528345	390	387
	<i>including</i>		245.00	246.00	1.00	3.81						
	<i>and including</i>		251.00	252.00	1.00	7.77						
TL21-534		C	347.50	351.50	4.00	0.65						
TL21-534		C	380.90	384.20	3.30	0.65						
TL21-535		Main	508.85	522.00	13.15	0.42	345	-75	5528147	547910	413	624
	<i>including</i>		516.90	517.45	0.55	3.59						
TL21-535		C	588.02	591.15	3.13	0.87						
TL21-536		Main	639.90	653.95	14.05	2.31	342	-74	5511560	528112	391	708
	<i>including</i>		646.50	652.30	5.80	4.93						
	<i>including</i>		651.50	652.30	0.80	31.40						
TL21-540		HW	1.50	19.40	17.90	0.32	358	-54	5511750	527075	397	252
	<i>including</i>		1.50	7.00	5.50	0.59						
	<i>including</i>		6.00	7.00	1.00	1.54						
TL21-540		Main	83.50	84.00	0.50	4.12						

Notes

Reported intervals are drilled core lengths and do not indicate true widths

All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
TL21-540		Main	94.00	111.50	17.50	0.98						
	<i>including</i>		100.00	107.00	7.00	2.02						
	<i>including</i>		101.20	102.00	0.80	7.74						
	<i>and including</i>		106.00	107.00	1.00	3.61						
TL21-540		C	173.00	196.00	23.00	0.46						
	<i>including</i>		187.00	188.00	1.00	6.00						
TL21-542		HW	3.90	17.30	13.40	0.44	359	-55	5511750	527040	397	252
	<i>including</i>		5.00	6.00	1.00	1.66						
TL21-542		Main	90.00	118.00	28.00	0.40						
	<i>including</i>		94.00	95.00	1.00	2.00						
	<i>and including</i>		96.00	97.00	1.00	1.35						
TL21-542		C	157.50	161.00	3.50	0.69						
TL21-543		Main	35.70	44.00	8.30	0.59	358	-50	5511790	527025	395	201
TL21-543		Main	55.00	58.50	3.50	0.47						
TL21-543		C	126.10	127.40	1.30	19.80						
	<i>including</i>		126.10	126.80	0.70	33.90						
TL21-561		HW	169.50	177.00	7.50	0.34	347	-69	5511775	528275	390	441
TL21-561		HW	320.00	324.60	4.60	0.63						
TL21-561		Main	375.00	390.00	15.00	52.60						
	<i>including</i>		375.00	383.60	8.60	1.37						
	<i>and including</i>		383.60	384.44	0.84	870.00						
	<i>and including</i>		384.44	385.18	0.74	25.80						
	<i>and including</i>		385.18	385.68	0.50	47.50						

Notes

Reported intervals are drilled core lengths and do not indicate true widths
All grades uncut, no capping.