

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
<b>GL-20-035</b>		<b>2</b>	<b>167.00</b>	<b>184.60</b>	<b>17.60</b>	<b>1.41</b>	<b>333</b>	<b>-48</b>	<b>5528083</b>	<b>547830</b>	<b>413</b>	<b>201</b>
	<i>including</i>		177.10	183.63	6.53	2.33						
	<i>including</i>		182.60	183.63	1.03	8.16						
<b>GL-20-036</b>		<b>3</b>	<b>89.00</b>	<b>90.00</b>	<b>1.00</b>	<b>1.22</b>	<b>332</b>	<b>-52</b>	<b>5528129</b>	<b>547898</b>	<b>413</b>	<b>126</b>
<b>GL-20-037</b>		<b>6</b>	<b>43.00</b>	<b>44.00</b>	<b>1.00</b>	<b>6.74</b>	<b>330</b>	<b>-52</b>	<b>5528166</b>	<b>547925</b>	<b>413.5</b>	<b>177</b>
GL-20-037		3	82.00	92.00	10.00	2.23						
	<i>including</i>		86.00	92.00	6.00	2.99						
	<i>including</i>		87.50	88.80	1.30	6.86						
	<i>and including</i>		91.00	92.00	1.00	6.83						
GL-20-037		3	110.00	114.00	4.00	4.19						
	<i>including</i>		110.00	111.00	1.00	15.90						
GL-20-037		2	132.60	147.00	14.40	0.76						
	<i>including</i>		140.00	142.00	2.00	2.10						
GL-20-037		2	170.50	172.00	1.50	12.20						
<b>GL-20-038</b>		<b>3</b>	<b>11.64</b>	<b>18.00</b>	<b>6.36</b>	<b>0.92</b>	<b>332</b>	<b>-48</b>	<b>5528167</b>	<b>547840</b>	<b>414</b>	<b>125</b>
	<i>including</i>		17.44	18.00	0.56	5.91						
GL-20-038		3	48.95	58.23	9.28	0.82						
	<i>including</i>		48.95	50.36	1.41	3.23						
GL-20-038		2	67.00	83.00	16.00	1.42						
	<i>including</i>		77.00	78.00	1.00	11.90						
GL-20-038		2	102.00	104.00	2.00	1.03						
<b>GL-20-039</b>		<b>3</b>	<b>86.09</b>	<b>88.00</b>	<b>1.91</b>	<b>0.76</b>	<b>338</b>	<b>-48</b>	<b>5528147</b>	<b>547910</b>	<b>413</b>	<b>177</b>
GL-20-039		2	130.33	132.00	1.67	2.57						
	<i>including</i>		130.33	131.00	0.67	4.86						
GL-20-039		2	143.00	155.00	12.00	1.19						
	<i>including</i>		147.00	147.00	1.00	5.10						
GL-20-039		2	172.77	177.00	4.23	0.50						
<b>GL-20-040</b>		<b>6</b>	<b>55.00</b>	<b>56.00</b>	<b>1.00</b>	<b>1.07</b>	<b>334</b>	<b>-47</b>	<b>5528178</b>	<b>547942</b>	<b>414.5</b>	<b>180</b>
GL-20-040		3	73.00	75.55	2.55	0.92						
GL-20-040		2	119.50	140.00	20.50	0.42						
	<i>including</i>		137.90	139.00	1.10	1.55						
GL-20-040		2	168.00	169.00	1.00	3.78						
<b>GL-20-041</b>		<b>6</b>	<b>36.90</b>	<b>39.50</b>	<b>2.60</b>	<b>4.39</b>	<b>337</b>	<b>-47</b>	<b>5528095</b>	<b>547844</b>	<b>413</b>	<b>201</b>
	<i>including</i>		37.70	38.50	0.80	9.49						
GL-20-041		2	173.00	180.60	7.60	2.40						
	<i>including</i>		179.00	179.95	0.95	5.32						
<b>GL-20-042</b>		<b>6</b>	<b>11.00</b>	<b>14.00</b>	<b>3.00</b>	<b>6.19</b>	<b>335</b>	<b>-48</b>	<b>5528230</b>	<b>547984</b>	<b>414</b>	<b>175</b>
	<i>including</i>		12.00	13.00	1.00	13.80						
GL-20-042		3	69.00	71.51	2.51	5.00						
	<i>including</i>		70.00	71.00	1.00	10.60						
GL-20-042		2	126.00	141.00	15.00	0.44						

#### Notes

Reported intervals are drilled core lengths and do not indicate true widths  
For duplicate samples, an average of the two gold assays are used to calculate the grade.  
All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
<b>GL-20-043</b>		<b>3</b>	<b>16.00</b>	<b>23.62</b>	<b>7.62</b>	<b>1.06</b>	<b>333</b>	<b>-45</b>	<b>5528172</b>	<b>547858</b>	<b>414</b>	<b>126</b>
	<i>including</i>		22.11	23.62	1.51	4.08						
GL-20-043		2	74.00	89.00	15.00	7.15						
	<i>including</i>		74.00	75.00	1.00	5.59						
	<i>including</i>		87.00	88.00	1.00	5.03						
	<i>and including</i>		88.00	89.00	1.00	83.70						
<b>GL-20-044</b>		<b>6</b>	<b>18.85</b>	<b>20.00</b>	<b>1.15</b>	<b>2.65</b>	<b>338</b>	<b>-53</b>	<b>5528078</b>	<b>547803</b>	<b>413</b>	<b>210</b>
GL-20-044		3	80.00	81.00	1.00	1.05						
GL-20-044		3	97.00	104.39	7.39	0.38						
GL-20-044		3	121.00	122.00	1.00	1.19						
GL-20-044		2	172.00	178.00	6.00	0.76						
	<i>including</i>	2	174.00	175.00	1.00	2.03						
<b>GL-20-045</b>		<b>3</b>	<b>104.60</b>	<b>107.85</b>	<b>3.25</b>	<b>6.58</b>	<b>359</b>	<b>-46</b>	<b>5528100</b>	<b>547857</b>	<b>412</b>	<b>141</b>
	<i>including</i>		106.75	107.85	1.10	14.50						
<b>GL-20-046</b>		<b>3</b>	<b>1.30</b>	<b>39.00</b>	<b>37.70</b>	<b>1.18</b>	<b>158</b>	<b>-48</b>	<b>5528174</b>	<b>547790</b>	<b>416</b>	<b>165</b>
	<i>including</i>		14.00	15.00	1.00	12.70						
			35.07	35.95	0.88	26.50						
GL-20-046		3	68.34	73.00	4.66	0.45						
GL-20-046		6	135.00	148.00	13.00	0.51						
<b>GL-20-047</b>		<b>3</b>	<b>15.00</b>	<b>17.69</b>	<b>2.69</b>	<b>0.62</b>	<b>157</b>	<b>-47</b>	<b>5528249</b>	<b>547890</b>	<b>409</b>	<b>165</b>
	<i>including</i>		16.27	17.00	0.73	1.86						
GL-20-047		6	140.00	150.00	10.00	0.53						
	<i>including</i>		140.00	141.00	1.00	4.43						
<b>GL-20-048</b>		<b>3</b>	<b>24.00</b>	<b>30.00</b>	<b>6.00</b>	<b>0.49</b>	<b>152</b>	<b>-48</b>	<b>5528264</b>	<b>547909</b>	<b>408</b>	<b>177</b>
GL-20-048		3	52.00	55.18	3.18	4.50						
	<i>including</i>		54.20	55.18	0.98	11.30						
GL-20-048		6	85.00	96.00	11.00	0.33						
	<i>including</i>		95.00	96.00	1.00	1.90						
GL-20-048		6	145.69	149.00	3.31	0.44						
<b>GL-20-049</b>		<b>2</b>	<b>3.00</b>	<b>6.00</b>	<b>3.00</b>	<b>3.29</b>	<b>154</b>	<b>-45</b>	<b>5528243</b>	<b>547869</b>	<b>410</b>	<b>198</b>
	<i>including</i>		3.00	4.00	1.00	9.06						
GL-20-049		3	56.00	65.50	9.50	5.15						
	<i>including</i>		56.00	57.00	1.00	19.90						
	<i>and including</i>		64.90	65.50	0.60	33.90						
GL-20-049		6	162.00	172.00	10.00	0.52						
	<i>including</i>		171.00	172.00	1.00	3.44						
<b>GL-20-050</b>		<b>3</b>	<b>23.00</b>	<b>26.00</b>	<b>3.00</b>	<b>0.64</b>	<b>324</b>	<b>-46</b>	<b>5528271</b>	<b>547967</b>	<b>410</b>	<b>126</b>
GL-20-050		2	75.00	103.00	28.00	0.67						
	<i>including</i>		85.00	87.00	2.00	4.10						
	<i>and including</i>		100.00	101.00	1.00	4.83						

#### Notes

Reported intervals are drilled core lengths and do not indicate true widths  
For duplicate samples, an average of the two gold assays are used to calculate the grade.  
All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
<b>GL-20-051</b>		<b>2</b>	<b>2.32</b>	<b>10.00</b>	<b>7.68</b>	<b>1.72</b>	<b>334</b>	<b>-45</b>	<b>5528298</b>	<b>547946</b>	<b>408</b>	<b>87</b>
	<i>including</i>		8.00	10.00	2.00	6.22						
GL-20-051		2	18.00	30.00	12.00	0.61						
	<i>including</i>		29.00	30.00	1.00	3.85						
GL-20-051		2	46.00	56.00	10.00	1.21						
	<i>including</i>		49.00	50.00	1.00	6.87						
GL-20-051		2	67.00	73.00	6.00	0.65						
<b>GL-21-001</b>		<b>2</b>	<b>20.00</b>	<b>32.00</b>	<b>12.00</b>	<b>1.00</b>	<b>150</b>	<b>-46</b>	<b>5528367</b>	<b>547942</b>	<b>405</b>	<b>261</b>
GL-21-001		2	39.00	48.00	9.00	0.78						
GL-21-001		3	140.60	141.30	0.70	1.64						
GL-21-001		6	170.75	173.25	2.50	1.46						
<b>GL-21-002</b>		<b>2</b>	<b>55.00</b>	<b>85.00</b>	<b>30.00</b>	<b>0.67</b>	<b>155</b>	<b>-47</b>	<b>5528321</b>	<b>547886</b>	<b>404</b>	<b>165</b>
	<i>including</i>		55.00	57.00	2.00	2.80						
	<i>and including</i>		69.00	79.00	10.00	1.19						
GL-21-002		3	151.00	153.00	2.00	1.40						
<b>GL-21-003</b>		<b>2</b>	<b>26.40</b>	<b>44.00</b>	<b>17.60</b>	<b>0.45</b>	<b>336</b>	<b>-47</b>	<b>5528337</b>	<b>547980</b>	<b>405</b>	<b>66</b>
GL-21-003		2	37.00	44.00	7.00	0.72						
GL-21-003		2	55.06	58.50	3.44	2.57						
<b>GL-21-004</b>		<b>3</b>	<b>40.00</b>	<b>41.00</b>	<b>1.00</b>	<b>2.23</b>	<b>145</b>	<b>-45</b>	<b>5528317</b>	<b>547973</b>	<b>406</b>	<b>150</b>
GL-21-004		6	73.25	74.85	1.60	0.87						
<b>GL-21-005</b>		<b>3</b>	<b>15.90</b>	<b>36.00</b>	<b>20.10</b>	<b>1.34</b>	<b>333</b>	<b>-50</b>	<b>5528302</b>	<b>548003</b>	<b>408</b>	<b>123</b>
	<i>including</i>		15.90	23.00	7.10	3.09						
	<i>including</i>		15.90	16.90	1.00	16.70						
	<i>and including</i>		30.70	36.00	5.30	0.80						
GL-21-005		2	106.10	123.00	16.90	0.48						
	<i>including</i>		106.10	109.40	3.30	1.46						
<b>GL-21-006</b>		<b>3</b>	<b>42.50</b>	<b>44.50</b>	<b>2.00</b>	<b>0.78</b>	<b>335</b>	<b>-45</b>	<b>5528311</b>	<b>548038</b>	<b>407</b>	<b>180</b>
<b>GL-21-007</b>		<b>3</b>	<b>12.00</b>	<b>17.00</b>	<b>5.00</b>	<b>0.66</b>	<b>158</b>	<b>-50</b>	<b>5528140</b>	<b>547701</b>	<b>419</b>	<b>201</b>
	<i>including</i>		16.00	17.00	1.00	2.65						
GL-21-007		6	145.20	146.20	1.00	1.08						
GL-21-007		6	172.20	173.20	1.00	1.08						
<b>GL-21-008</b>		<b>3</b>	<b>15.00</b>	<b>17.00</b>	<b>2.00</b>	<b>0.58</b>	<b>330</b>	<b>-60</b>	<b>5528078</b>	<b>547678</b>	<b>425</b>	<b>150</b>
GL-21-008		2	77.50	82.70	5.20	0.39						
GL-21-008		2	100.70	105.20	4.50	0.79						
<b>GL-21-009</b>		<b>2</b>	<b>96.40</b>	<b>98.40</b>	<b>2.00</b>	<b>0.88</b>	<b>325</b>	<b>-60</b>	<b>5528050</b>	<b>547625</b>	<b>428</b>	<b>150</b>
GL-21-009		2	108.00	108.70	0.70	1.65						
<b>GL-21-010</b>		<b>3</b>	<b>15.10</b>	<b>24.30</b>	<b>9.20</b>	<b>0.62</b>	<b>160</b>	<b>-60</b>	<b>5528155</b>	<b>547754</b>	<b>419</b>	<b>216</b>
	<i>including</i>		23.30	24.30	1.00	1.90						
GL-21-010		3	79.30	88.30	9.00	0.63						
	<i>including</i>		79.30	80.30	1.00	3.66						
<b>GL-21-011</b>		<b>2</b>	<b>130.10</b>	<b>135.00</b>	<b>4.90</b>	<b>0.66</b>	<b>330</b>	<b>-60</b>	<b>5528339</b>	<b>548079</b>	<b>407</b>	<b>192</b>

#### Notes

Reported intervals are drilled core lengths and do not indicate true widths  
For duplicate samples, an average of the two gold assays are used to calculate the grade.  
All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
<b>GL-21-012</b>		<b>2</b>	<b>110.00</b>	<b>112.00</b>	<b>2.00</b>	<b>0.61</b>	<b>328</b>	<b>-45</b>	<b>5528364</b>	<b>548118</b>	<b>405</b>	<b>162</b>
GL-21-012		2	142.20	143.20	1.00	1.04						
<b>GL-21-013</b>		<b>2</b>	<b>33.00</b>	<b>41.00</b>	<b>8.00</b>	<b>0.52</b>	<b>151</b>	<b>-45</b>	<b>5528407</b>	<b>547975</b>	<b>404</b>	<b>201</b>
	<i>including</i>		39.00	40.00	1.00	2.54						
GL-21-013		2	88.10	101.10	13.00	1.23						
	<i>including</i>		96.10	97.10	1.00	3.98						
GL-21-013		3	180.30	181.30	1.00	3.12						
<b>GL-21-014</b>		<b>3</b>	<b>45.15</b>	<b>46.20</b>	<b>1.05</b>	<b>0.51</b>	<b>330</b>	<b>-45</b>	<b>5528410</b>	<b>548188</b>	<b>406</b>	<b>150</b>
<b>GL-21-015</b>		<b>3</b>	<b>65.00</b>	<b>70.00</b>	<b>5.00</b>	<b>1.55</b>	<b>330</b>	<b>-45</b>	<b>5528462</b>	<b>548252</b>	<b>406</b>	<b>150</b>
	<i>including</i>		69.00	70.00	1.00	6.51						
GL-21-015		2	87.10	88.10	1.00	9.45						
<b>GL-21-016</b>		<b>3</b>	<b>50.10</b>	<b>55.10</b>	<b>5.00</b>	<b>0.64</b>	<b>330</b>	<b>-45</b>	<b>5528490</b>	<b>548325</b>	<b>407</b>	<b>162</b>
	<i>including</i>		54.10	55.10	1.00	1.94						
<b>GL-21-017</b>		<b>6</b>	<b>38.90</b>	<b>49.00</b>	<b>10.10</b>	<b>0.40</b>	<b>330</b>	<b>-45</b>	<b>5528518</b>	<b>548405</b>	<b>407</b>	<b>180</b>
GL-21-017		3	74.00	75.75	1.75	1.20						
GL-21-017		2	140.00	141.00	1.00	1.69						
<b>GL-21-018</b>		<b>3</b>	<b>108.00</b>	<b>109.00</b>	<b>1.00</b>	<b>1.05</b>	<b>332</b>	<b>-45</b>	<b>5528560</b>	<b>548475</b>	<b>407</b>	<b>177</b>
<b>GL-21-019</b>		<b>3</b>	<b>91.45</b>	<b>95.00</b>	<b>3.55</b>	<b>0.46</b>	<b>330</b>	<b>-47</b>	<b>5528600</b>	<b>548550</b>	<b>407</b>	<b>201</b>
GL-21-019		2	180.00	181.00	1.00	1.02						
<b>GL-21-020</b>		<b>4</b>	<b>49.00</b>	<b>52.76</b>	<b>3.76</b>	<b>4.49</b>	<b>157</b>	<b>-44</b>	<b>5527630</b>	<b>546915</b>	<b>416</b>	<b>210</b>
	<i>including</i>		49.00	50.00	1.00	16.00						
GL-21-020		4	82.00	91.00	9.00	1.62						
	<i>including</i>		85.00	86.00	1.00	8.16						
GL-21-020		4	108.61	118.00	9.39	1.08						
<b>GL-21-021</b>		<b>4</b>	<b>19.00</b>	<b>45.80</b>	<b>26.80</b>	<b>0.75</b>	<b>161</b>	<b>-44</b>	<b>5527636</b>	<b>546956</b>	<b>417</b>	<b>186</b>
	<i>including</i>		19.00	22.20	3.20	4.12						
GL-21-021		4	87.10	107.10	20.00	0.95						
	<i>including</i>		98.10	103.10	5.00	2.11						
	<i>including</i>		102.10	103.10	1.00	7.09						
<b>GL-21-022</b>		<b>4</b>	<b>8.00</b>	<b>87.70</b>	<b>79.70</b>	<b>0.34</b>	<b>145</b>	<b>-44</b>	<b>5527647</b>	<b>546996</b>	<b>421</b>	<b>186</b>
	<i>including</i>		8.00	14.00	6.00	0.78						
	<i>and including</i>		31.50	44.10	12.60	0.74						
	<i>and including</i>		76.00	84.70	8.70	0.62						
<b>GL-21-023</b>		<b>4</b>	<b>10.00</b>	<b>16.28</b>	<b>6.28</b>	<b>0.48</b>	<b>150</b>	<b>-44</b>	<b>5527658</b>	<b>547030</b>	<b>423</b>	<b>171</b>
GL-21-023		4	61.50	93.29	31.79	0.38						
<b>GL-21-024</b>		<b>8</b>	<b>32.00</b>	<b>40.00</b>	<b>8.00</b>	<b>1.35</b>	<b>330</b>	<b>-44</b>	<b>5527533</b>	<b>546978</b>	<b>407</b>	<b>132</b>
	<i>including</i>		35.00	36.00	1.00	5.92						
GL-21-024		4	74.20	76.20	2.00	2.30						
	<i>including</i>		75.20	76.20	1.00	4.15						
GL-21-024		4	92.00	94.90	2.90	1.13						
	<i>including</i>		94.30	94.90	0.60	4.64						

#### Notes

Reported intervals are drilled core lengths and do not indicate true widths  
For duplicate samples, an average of the two gold assays are used to calculate the grade.  
All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
<b>GL-21-025</b>		<b>4</b>	<b>62.50</b>	<b>78.70</b>	<b>16.20</b>	<b>0.81</b>	<b>324</b>	<b>-45</b>	<b>5527540</b>	<b>547015</b>	<b>407</b>	<b>222</b>
	<i>including</i>		62.50	64.50	2.00	2.70						
	<i>and including</i>		76.20	76.70	0.50	5.62						
GL-21-025		4	101.90	106.71	4.81	1.57						
	<i>including</i>		105.71	106.71	1.00	4.06						
GL-21-025		4	119.00	125.60	6.60	0.44						
GL-21-025		6	173.00	190.00	17.00	0.70						
	<i>including</i>		176.80	184.00	7.20	1.24						
<b>GL-21-026</b>		<b>4</b>	<b>80.60</b>	<b>85.50</b>	<b>4.90</b>	<b>0.64</b>	<b>335</b>	<b>-44</b>	<b>5527600</b>	<b>547169</b>	<b>405</b>	<b>132</b>
<b>GL-21-027</b>		<b>4</b>	<b>44.10</b>	<b>49.60</b>	<b>5.50</b>	<b>1.33</b>	<b>323</b>	<b>-43</b>	<b>5527636</b>	<b>547195</b>	<b>412</b>	<b>117</b>
	<i>including</i>		44.10	45.25	1.15	3.22						
GL-21-027		4	66.75	69.85	3.10	1.29						
	<i>including</i>		66.75	67.95	1.20	2.79						
<b>GL-21-028</b>		<b>4</b>	<b>8.00</b>	<b>66.00</b>	<b>58.00</b>	<b>0.89</b>	<b>158</b>	<b>-58</b>	<b>5527654</b>	<b>547014</b>	<b>422</b>	<b>141</b>
	<i>including</i>		8.00	26.50	18.50	2.01						
	<i>including</i>		10.00	11.00	1.00	22.40						
	<i>including</i>		22.00	23.50	1.50	5.06						
GL-21-028		4	96.50	118.00	21.50	3.14						
	<i>including</i>		98.60	99.60	1.00	55.70						
<b>GL-21-031</b>		<b>4</b>	<b>29.00</b>	<b>34.00</b>	<b>5.00</b>	<b>1.45</b>	<b>125</b>	<b>-60</b>	<b>5527681</b>	<b>547078</b>	<b>427</b>	<b>156</b>
	<i>including</i>		31.00	32.00	1.00	6.33						
GL-21-031		4	47.25	55.00	7.75	6.36						
	<i>including</i>		49.10	50.00	0.90	51.70						
GL-21-031		4	97.00	107.75	10.75	0.84						
	<i>including</i>		97.00	98.00	1.00	5.82						
GL-21-031		4	127.61	128.75	1.14	2.80						
GL-21-031		4	142.95	144.00	1.05	2.77						
<b>GL-21-032</b>		<b>8</b>	<b>38.50</b>	<b>41.10</b>	<b>2.60</b>	<b>0.49</b>	<b>155</b>	<b>-46</b>	<b>5527684</b>	<b>547109</b>	<b>424</b>	<b>156</b>
GL-21-032		4	65.53	77.00	11.47	0.93						
	<i>including</i>		76.22	77.00	0.78	5.19						
<b>GL-21-036</b>		<b>4</b>	<b>83.80</b>	<b>87.53</b>	<b>3.73</b>	<b>1.61</b>	<b>149</b>	<b>-44</b>	<b>5527760</b>	<b>547272</b>	<b>420</b>	<b>135</b>
	<i>including</i>		83.80	84.75	0.95	3.73						
<b>GL-21-037</b>		<b>4</b>	<b>68.20</b>	<b>71.20</b>	<b>3.00</b>	<b>0.60</b>	<b>148</b>	<b>-50</b>	<b>5527778</b>	<b>547308</b>	<b>417</b>	<b>162</b>
GL-21-037		4	96.50	100.40	3.90	2.73						
	<i>including</i>		96.50	97.50	1.00	4.55						
	<i>and including</i>		98.50	99.40	0.90	5.81						
<b>GL-21-038</b>		<b>4</b>	<b>61.10</b>	<b>62.00</b>	<b>0.90</b>	<b>2.82</b>	<b>153</b>	<b>-50</b>	<b>5527791</b>	<b>547346</b>	<b>417</b>	<b>192</b>
GL-21-038		4	87.88	93.33	5.45	0.74						
<b>GL-21-040</b>		<b>No Significant Results</b>					<b>333</b>	<b>-45</b>	<b>5527695</b>	<b>547361</b>	<b>412</b>	<b>126</b>
<b>GL-21-041</b>		<b>8</b>	<b>40.30</b>	<b>45.51</b>	<b>5.21</b>	<b>0.82</b>	<b>337</b>	<b>-45</b>	<b>5527684</b>	<b>547327</b>	<b>414</b>	<b>117</b>
<b>GL-21-042</b>		<b>4</b>	<b>52.60</b>	<b>54.60</b>	<b>2.00</b>	<b>4.86</b>	<b>334</b>	<b>-55</b>	<b>5527660</b>	<b>547272</b>	<b>414</b>	<b>141</b>

#### Notes

Reported intervals are drilled core lengths and do not indicate true widths  
For duplicate samples, an average of the two gold assays are used to calculate the grade.  
All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
	<i>including</i>		53.60	54.60	1.00	9.36						
GL-21-042		4	70.80	80.80	10.00	0.66						
	<i>including</i>		79.80	80.80	1.00	2.87						
GL-21-042		4	115.70	122.70	7.00	1.69						
	<i>including</i>		115.70	116.70	1.00	6.39						
<b>GL-21-029</b>		<b>4</b>	<b>31.00</b>	<b>36.00</b>	<b>5.00</b>	<b>2.95</b>	<b>152</b>	<b>-65</b>	<b>547048</b>	<b>5527668</b>	<b>427</b>	<b>177</b>
	<i>including</i>		31.00	32.00	1.00	8.78						
	<i>and including</i>		35.00	36.00	1.00	5.70						
GL-21-029		4	64.00	67.70	3.70	0.48						
GL-21-029		4	87.10	92.10	5.00	0.62						
GL-21-029		4	109.40	124.10	14.70	0.46						
<b>GL-21-033</b>		<b>4</b>	<b>93.30</b>	<b>96.30</b>	<b>3.00</b>	<b>2.37</b>	<b>158</b>	<b>-56</b>	<b>547153</b>	<b>5527698</b>	<b>421</b>	<b>177</b>
	<i>including</i>	4	95.30	96.30	1.00	6.19						
GL-21-033		8	125.00	126.00	1.00	4.98						
<b>GL-21-034</b>		<b>4</b>	<b>77.05</b>	<b>93.15</b>	<b>16.10</b>	<b>0.99</b>	<b>155</b>	<b>-45</b>	<b>547184</b>	<b>5527714</b>	<b>420</b>	<b>147</b>
	<i>including</i>		89.50	90.30	0.80	10.00						
<b>GL-21-039</b>		<b>4</b>	<b>63.20</b>	<b>72.10</b>	<b>8.90</b>	<b>1.16</b>	<b>340</b>	<b>-45</b>	<b>547405</b>	<b>5527705</b>	<b>413</b>	<b>126</b>
	<i>including</i>		69.90	72.10	2.20	4.15						
<b>GL-21-043</b>		<b>8</b>	<b>27.00</b>	<b>42.30</b>	<b>15.30</b>	<b>0.37</b>	<b>333</b>	<b>-45</b>	<b>547235</b>	<b>5527645</b>	<b>414</b>	<b>117</b>
	<i>including</i>		31.60	32.60	1.00	2.07						
<b>GL-21-045</b>		<b>4</b>	<b>54.30</b>	<b>67.50</b>	<b>13.20</b>	<b>0.30</b>	<b>160</b>	<b>-45</b>	<b>547560</b>	<b>5527875</b>	<b>430</b>	<b>240</b>
GL-21-045		8	137.60	148.60	11.00	1.02						
	<i>including</i>		147.60	148.60	1.00	4.90						
GL-21-045		1	224.00	225.00	1.00	5.26						
<b>GL-21-047</b>		<b>4</b>	<b>50.10</b>	<b>71.50</b>	<b>21.40</b>	<b>0.83</b>	<b>143</b>	<b>-50</b>	<b>547419</b>	<b>5527804</b>	<b>421</b>	<b>150</b>
	<i>including</i>		65.40	67.90	2.50	2.55						
<b>GL-21-048</b>		<b>4</b>	<b>64.70</b>	<b>65.70</b>	<b>1.00</b>	<b>3.43</b>	<b>150</b>	<b>-45</b>	<b>546800</b>	<b>5527605</b>	<b>413</b>	<b>261</b>
GL-21-048		4	74.30	76.90	2.60	0.54						
GL-21-048		4	100.50	103.30	2.80	1.57						
GL-21-048		4	118.00	123.00	5.00	0.33						
GL-21-048		4	128.00	129.00	1.00	21.50						
GL-21-048		8	161.90	167.80	5.90	2.45						
	<i>including</i>		161.90	164.00	2.10	6.30						
<b>GL-21-050</b>		<b>6</b>	<b>6.00</b>	<b>6.70</b>	<b>0.70</b>	<b>27.70</b>	<b>130</b>	<b>-46</b>	<b>546704</b>	<b>5527559</b>	<b>420</b>	<b>276</b>
GL-21-050		4	51.20	52.10	0.90	2.53						
GL-21-050		4	68.00	94.00	26.00	2.94						
	<i>including</i>		72.00	73.00	1.00	63.50						
	<i>and including</i>		93.00	94.00	1.00	8.08						
GL-21-050		4	105.00	112.00	7.00	0.32						
GL-21-050		4	135.00	140.00	5.00	0.84						
	<i>including</i>		135.00	136.00	1.00	3.25						

#### Notes

Reported intervals are drilled core lengths and do not indicate true widths  
For duplicate samples, an average of the two gold assays are used to calculate the grade.  
All grades uncut, no capping.

Drill Hole	Including	Zone	From (m)	To (m)	Sample Length (m)	Grade (g/t Au)	Azimuth	Dip	Northing	Easting	Elevation	Depth
GL-21-050		4	180.90	185.90	5.00	0.54						
<b>GL-21-058</b>		<b>1</b>	<b>103.60</b>	<b>129.50</b>	<b>25.90</b>	<b>5.48</b>	<b>155</b>	<b>-47</b>	<b>546580</b>	<b>5527340</b>	<b>402</b>	<b>180</b>
	<i>including</i>		104.60	105.60	1.00	76.80						
	<i>and including</i>		109.60	111.50	1.90	14.95						
	<i>and including</i>		116.50	117.50	1.00	5.26						
	<i>and including</i>		123.50	128.50	5.00	2.95						
GL-21-058		1	154.50	155.50	1.00	3.87						
<b>GL-21-059</b>		<b>1</b>	<b>6.00</b>	<b>39.70</b>	<b>33.70</b>	<b>1.67</b>	<b>155</b>	<b>-45</b>	<b>546660</b>	<b>5527325</b>	<b>403</b>	<b>111</b>
	<i>including</i>		35.30	36.40	1.10	12.10						
GL-21-059		1	45.00	47.00	2.00	1.56						
GL-21-059		1	64.00	70.00	6.00	0.93						
<b>GL-21-060</b>		<b>1</b>	<b>119.00</b>	<b>120.00</b>	<b>1.00</b>	<b>2.26</b>	<b>355</b>	<b>-68</b>	<b>546535</b>	<b>5527195</b>	<b>404</b>	<b>177</b>
GL-21-060		1	131.10	134.00	2.90	3.08						
	<i>including</i>		131.10	132.00	0.90	5.89						
<b>GL-21-061</b>		<b>1</b>	<b>133.00</b>	<b>147.00</b>	<b>14.00</b>	<b>2.83</b>	<b>330</b>	<b>-64</b>	<b>546765</b>	<b>5527248</b>	<b>404</b>	<b>162</b>
	<i>including</i>		133.00	137.00	4.00	6.35						
	<i>including</i>		133.00	134.00	1.00	12.30						
	<i>and including</i>		135.00	136.00	1.00	6.14						
	<i>and including</i>		139.00	140.00	1.00	5.58						
	<i>and including</i>		145.00	146.00	1.00	4.77						

#### Notes

Reported intervals are drilled core lengths and do not indicate true widths  
For duplicate samples, an average of the two gold assays are used to calculate the grade.  
All grades uncut, no capping.